



Trauma Dashboard Indicators

The dashboard reflects the trauma indicators along the trauma pathway

- prehospital level

- hospital level

- post hospital level

Prehospital indicators

GMR INDICATORS

- Total number of injured cases
- total number of deaths
- Number of cases who treated within TSP and directly discharged
- number of cases referred to hospital for further intervention
- The injured cases' figures are distributed according mechanism of injury, site of injury and severity of cases

AMBULANCES SERVICES INDICATOR

- Number of cases who transferred to hospital by ambulances
- Percentage of traumatic cases that are transferred by ambulances
- Number of lives saved via providing immediate cardiopulmonary resuscitation
- Response time
- *Number of staff who received training*

Hospital indicators

- Total number of emergency department's consultations
- Proportion of traumatic consultation
- Total number of cases who admitted directly to IPD/ICU
- Number of deaths within ED
- Number of readmitted cases within 24 hours
- Number of conducted surgeries (Acute/ Elective)
- *Number of staff who received training*

Post-hospital level

Limb Reconstruction Center

of cases who received multi-disciplinary approach services within inpatient department

of performed reconstructive surgeries

of cases who screened within OPT

of discharged cases

of readmitted cases in period less than 7/30 days for the same reason

of cases who developed post surgery complications

of conducted physiotherapy sessions

of cases who received assisted device through the LRC

of conducted psychotherapy sessions

of cases' families MH consultation sessions

of cases who received health awareness sessions

of companions who received HP sessions

of cases who discharged and referred for post-op. rehabilitation

Number of staff who received training

COVID-19 related indicators

Respiratory Triage Center

and % of ED cases are respiratory infected cases who are benefited from the service within RTC

and % RTC cases are COVID-19 suspected cases in which PCR test was conducted.